

Location Performance Summary Report By Lane

Submission Criteria

From Violation Date: 1/1/2010

To Violation Date: 12/31/2010

Violation Type: RDLT

						7.0.40	on type.			
	А	B (C+D+E)	С	D	E	F	G (A-B-F)	H (G/(G+E))	I (B/A)	J (E/A)
<u>Location</u>	Violation Events	Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Events Still In Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE01 NB BLOOMFIELD AVE @ ARTESIA BLVD		-								rerechtage
Lane 1	299	286	266	14	6	0	13	68.42%	95.65%	2.01%
Lane 2	200	168	141	23	4	0	32	88.89%	84.00%	2.00%
Lane 3	1,682	1,303	881	337	85	0	379	81.68%	77.47%	5.05%
	2,181	1,757	1,288	374	95	Ó	424	81.70%	80.56%	4.36%
CE02 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 3	271	239	216	18	5	0	32	86.49%	88.19%	1.85%
Lane 4	180	154	123	27	4	0	26	86.67%	85.56%	2.22%
Lane 5	1,535	1,208	819	329	60	0	327	84.50%	78.70%	3,91%
	1,986	1,601	1,158	374	69	0	385	84.80%	80.61%	3.47%
CE03 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 1	85	75	60	9	6	0	10	62.50%	88.24%	7.06%
Lane 2	300	284	257	23	4	0	16	80.00%	94.67%	1.33%
	385	359	317	32	10	0	26	72.22%	93.25%	2.60%
CE04 EB SOUTH ST @ STUDEBAKER RD										
Lane 2	256	231	183	33	15	0	25	62.50%	90.23%	5.86%
Lane 3	338	266	189	68	9	0	72	88.89%	78.70%	2.66%
Lane 4	1,166	898	531	315	52	0	268	83.75%	77.02%	4.46%
	1,760	1,395	903	416	76	0	365	82.77%	79.26%	4.32%
CE05 WB SOUTH ST @ STUDEBAKER RD										
Lane 2	214	198	159	31	8	0	16	66.67%	92.52%	3.74%
Lane 3	491	456	384	59	13	0	35	72.92%	92.87%	2.65%
Lane 4	4,447	3,133	1,672	1,252	209	0	1,314	86.28%	70.45%	4.70%
	5,152	3,787	2,215	1,342	230	0	1,365	85.58%	73.51%	4.46%

Axsisves

01/16/2012 10:34 PM



Location Performance Summary Report By Lane

Submission Criteria										
From Violatio	on Date: 1/1/2010		To Violati	on Date: 12/3	1/2010	Violat	ion Type: F	RDLT		
	А	B (C+D+E)	С	D	E	F	G (A-B-F)	H (G/(G+E))	I (B/A)	J (E/A)
Location	Violation Events	Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Events Still In Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE06 EB SOUTH ST @ GRIDLEY RD										
Lane 3	361	313	259	44	10	0	48	82.76%	86.70%	2.77%
Lane 4	463	383	303	61	19	0	80	80.81%	82.72%	4.10%
Lane 5	4,212	3,649	2,876	638	135	0	563	80.66%	86.63%	3.21%
	5,036	4,345	3,438	743	164	0	691	80.82%	86.28%	3.26%
CE07 WB SOUTH ST @ GRIDLEY RD										
Lane 2	449	392	265	103	24	0	57	70.37%	87.31%	5.35%
Lane 3	578	425	239	152	34	0	153	81.82%	73.53%	5.88%
Lane 4	2,572	1,831	1,136	593	102	0	741	87.90%	71.19%	3.97%
	3,599	2.648	1.640	848	160	0	951	85 60%	73 58%	A 45%

4,129

804

Axsisves

Totals:

20,099

15,892

10,959

01/16/2012 10:34 PM

83.96%

79.07%

4,207

Page 2 of 3

4.00%



Location Performance Summary Report By Lane

Submission Criteria			 						
	From Violation Date:	1/1/2011	To Violatio	n Date: 12/3	1/2011	Violati	on Type: A	LL	
L			 	·····					

	Α	B (C+D+E)	С	D	E	F Violation	G (A-B-F)	H (G/(G+E))	! (B/A)	J (E/A)
<u>Location</u>	Violation Events	Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Events Still In Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE01 NB BLOOMFIELD AVE @ ARTESIA BLVD						·				
Lane 1	208	197	177	15	5	0	11	68.75%	94.71%	2.40%
Lane 2	155	123	95	17	11	0	32	74.42%	79.35%	7.10%
Lane 3	1,498	1,245	970	237	38	1	252	86.90%	83.11%	2.54%
	1,861	1,565	1,242	269	54	1	295	84.53%	84.09%	2.90%
CE02 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 3	225	194	163	24	7	0	31	81.58%	86.22%	3.11%
Lane 4	267	228	204	21	3	0	39	92.86%	85.39%	1.12%
Lane 5	1,632	1,361	1,105	206	50	0	271	84.42%	83.39%	3.06%
	2,124	1,783	1,472	251	60	0	341	85.04%	83.95%	2.82%
CE03 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 1	72	50	35	13	2	0	22	91.67%	69.44%	2.78%
Lane 2	229	199	157	31	11	0	30	73.17%	86.90%	4.80%
	301	249	192	44	13	0	52	80.00%	82.72%	4.32%
CE04 EB SOUTH ST @ STUDEBAKER RD										
Lane 2	211	167	125	33	9	0	44	83.02%	79.15%	4.27%
Lane 3	261	188	138	39	11	0	73	86.90%	72.03%	4.21%
Lane 4	1,338	969	702	231	36	0	369	91.11%	72.42%	2.69%
	1,810	1,324	965	303	56	0	486	89.67%	73.15%	3.09%
CE05 WB SOUTH ST @ STUDEBAKER RD										
Lane 2	235	193	139	46	8	0	42	84.00%	82.13%	3.40%
Lane 3	466	401	334	57	10	0	65	86.67%	86.05%	2.15%
Lane 4	4.877	3,377	2,201	1,030	146	0	1,500	91.13%	69.24%	2.99%
	5,578	3,971	2,674	1,133	164	0	1,607	90.74%	71.19%	2.94%

Axsis VPS

01/15/2012 7:25 PM



Location Performance Summary Report By Lane

Submission Criteria										
From Violation	Date: 1/1/2011		To Violation	on Date: 12/3	1/2011	Violati	ion Type: A	LL		
	А	B (C+D+E) Violation	С	D Non-	E	F Violation Events	G (A-B-F)	H (G/(G+E))	I (B/A)	J (E/A)
ocation	Violation Events	Event	Non- Violations	Controllable	Controllable	Still In	Citations	Issuance	Rejection	Rejection
	Events	Rejections	Violations	Rejections	Rejections	Workflow	Issued	Rate	Percentage	Percentage
CE06 EB SOUTH ST @ GRIDLEY RD Lane 3	184	139	101	30	8	0 .	45	84.91%	75.54%	4.350/
Lane 4	229	176	147	22	7	0	53	88.33%	75.54% 76.86%	4.35% 3.06%
Lane 5	2,356	2.024	1,688	273	63	1	331	84.01%	85.91%	2.67%
	2,769	2,339	1,936	325	78	<u>-</u>	429	84.62%	84.47%	2.82%
CE07 WB SOUTH ST @ GRIDLEY RD	-,	-,	.,			•	420	04.0270	04.41 /0	2.0270
Lane 2	348	299	186	90	23	0	49	68.06%	85.92%	6.61%
Lane 3	463	323	181	126	16	1	139	89.68%	69.76%	3.46%
Lane 4	2,441	1,778	1,181	521	76	3	660	89.67%	72.84%	3.11%
	3,252	2,400	1,548	737	115	4	848	88.06%	73.80%	3.54%
Totals:	17,695	13,631	10,029	3,062	540	6	4,058	88.26%	77.03%	3.05%

Axsisves

01/15/2012 7:25 PM



Location Performance Summary Report By Lane

Submission Criteria

From Violation Date: 4/1/2010

To Violation Date: 4/30/2010

Violation Type: RDLT

	Α	B (C+D+E)	С	D	E	F Violation	G (A-B-F)	H (G/(G+E))	i (B/A)	J (E/A)
<u>Location</u>	Violation Events	Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Events Still In Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE01 NB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 1	28	27	27	0	0	0	1	100.00%	96.43%	0.00%
Lane 2	20	16	13	3	0	0	4	100.00%	80.00%	0.00%
Lane 3	158	113	84	24	5	0	45	90.00%	71.52%	3.16%
	206	156	124	27	5	0	50	90.91%	75.73%	2.43%
CE02 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 3	12	10	9	0	1	0	2	66.67%	83.33%	8.33%
Lane 4	9	6	4	1	1	0	3	75.00%	66.67%	11.11%
Lane 5	73	66	29	32	5	0	7	58.33%	90.41%	6.85%
	94	82	42	33	7	0	12	63.16%	87.23%	7.45%
CE03 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 1	2	2	2	0	0	0	0	0.00%	100.00%	0.00%
Lane 2	16	16	15	1	0	0	0	0.00%	100.00%	0.00%
	18	18	17	1	0	0	0	0.00%	100.00%	0.00%
CE04 EB SOUTH ST @ STUDEBAKER RD										
Lane 2	22	19	15	4	0	0	3	100.00%	86.36%	0.00%
Lane 3	38	29	26	1	2	0	9	81.82%	76.32%	5.26%
Lane 4	130	105	41	49	15	0	25	62.50%	80.77%	11.54%
	190	153	82	54	17	0	37	68.52%	80.53%	8.95%
CE05 WB SOUTH ST @ STUDEBAKER RD										
Lane 2	24	22	17	3	2	0	2	50.00%	91.67%	8.33%
Lane 3	35	33	25	8	0	0	2	100.00%	94.29%	0.00%
Lane 4	420	258	128	102	28	0	162	85.26%	61.43%	6.67%
	479	313	170	113	30	0	166	84.69%	65.34%	6.26%

Axsisves

01/16/2012 10:38 PM



Location Performance Summary Report By Lane

Submission Criteria	Loca		Jillance C	dilililary i	vehour by	Lane				
	From Violation Date: 4/1/2010		To Violati	on Date: 4/30	/2010	Violat	ion Type: F	RDLT		
Ł	A	В	С	D	E	F	G	Н	I	j
		(C+D+E)				Nr. 1 .c.	(A-B-F)	(G/(G+E))	(B/A)	(E/A)

	А	B (C+D+E)	С	D	E	F Violation	G (A-B-F)	H (G/(G+E))	I (B/A)	J (E/A)
	Violation	Violation		Non-		Events				Controllable
<u>Location</u>	Events	Event Rejections	Non- Violations	Controllable Rejections	Controllable Rejections	Still In Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Rejection Percentage
CE06 EB SOUTH ST @ GRIDLEY RD										
Lane 3	48	42	38	4	0	0	6	100.00%	87.50%	0.00%
Lane 4	52	40	33	6	1	0	12	92.31%	76.92%	1.92%
Lane 5	487	422	347	45	30	0	65	68.42%	86.65%	6.16%
	587	504	418	55	31	0	83	72.81%	85.86%	5.28%
CE07 WB SOUTH ST @ GRIDLEY RD										
Lane 2	38	33	26	6	1	0	5	83.33%	86.84%	2.63%
Lane 3	58	40	26	10	4	0	18	81.82%	68.97%	6.90%
Lane 4	270	177	117	44	16	0	93	85.32%	65.56%	5.93%
	366	250	169	60	21	0	116	84.67%	68.31%	5.74%
Totals:	1,940	1,476	1,022	343	111	0	464	80.70%	76.08%	5.72%

Axsis VPS

01/16/2012 10:38 PM



Location Performance Summary Report By Lane

Submission Criteria

From Violation Date: 7/1/2010

To Violation Date: 7/31/2010

Violation Type: RDLT

	Α	B (C+D+E)	С	D	E	F	G (A-B-F)	H (G/(G+E))	l (B/A)	J (E/A)
<u>Location</u>	Violation Events	Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Events Still in Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE01 NB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 1	33	30	29	0	1	0	3	75.00%	90.91%	3.03%
Lane 2	16	13	12	1	0	0	3	100.00%	81.25%	0.00%
Lane 3	196	151	103	40	8	0	45	84.91%	77.04%	4.08%
	245	194	144	41	9	0	51	85.00%	79.18%	3.67%
CE02 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 3	31	28	27	1	0	0	3	100.00%	90.32%	0.00%
Lane 4	14	11	4	7	0	0	3	100.00%	78.57%	0.00%
Lane 5	175	122	86	35	1	0	53	98.15%	69.71%	0.57%
	220	161	117	43	1	0	59	98.33%	73.18%	0.45%
CE03 \$B BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 1	7	7	6	1	0	0	0	0.00%	100.00%	0.00%
Lane 2	24	23	22	1	0	0	1	100.00%	95.83%	0.00%
	31	30	28	2	0	0	1	100.00%	96.77%	0.00%
CE04 EB SOUTH ST @ STUDEBAKER RD										
Lane 2	42	39	31	6	2	0	3	60.00%	92.86%	4.76%
Lane 3	33	30	25	5	0	0	3	100.00%	90.91%	0.00%
Lane 4	120	88	62	26	0	0	32	100.00%	73.33%	0.00%
	195	157	118	37	2	0	38	95.00%	80.51%	1.03%
CE05 WB SOUTH ST @ STUDEBAKER RD										
Lane 2	26	25	22	3	0	0	1	100.00%	96.15%	0.00%
Lane 3	65	61	52	9	0	0	4	100.00%	93.85%	0.00%
Lane 4	460	337	195	136	6	0	123	95.35%	73.26%	1.30%
	551	423	269	148	6	0	128	95,52%	76.77%	1.09%

AXSIS VPS

01/16/2012 10:40 PM



Location Performance Summary Report By Lane

Submission Criteria										
From Violation (Date: 7/1/2010		To Violati	on Date: 7/31.	/2010	Violat	ion Type: F	RDLT		
	Α	B (C+D+E)	С	D	Е	F	G (A-B-F)	H (G/(G+E))	I (B/A)	J (E/A)
<u>-ocation</u>	Violation Events	Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Violation Events Still In Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE06 EB SOUTH ST @ GRIDLEY RD										
Lane 3	45	41	35	6	0	0	4	100.00%	91.11%	0.00%
Lane 4	55	42	32	8	2	0	13	86.67%	76.36%	3.64%
Lane 5	401	354	288	60	6	0	47	88.68%	88.28%	1.50%
	501	437	355	74	8	0	64	88.89%	87.23%	1.60%
CE07 WB SOUTH ST @ GRIDLEY RD										
Lane 2	37	33	26	6	1	0	4	80.00%	89.19%	2.70%
Lane 3	61	43	23	19	1	0	18	94.74%	70.49%	1.64%
Lane 4	261	194	132	53	9	0	67	88.16%	74.33%	3.45%
	359	270	181	78	11	0	89	89.00%	75.21%	3,06%
Totals:	2,102	1,672	1,212	423	37	0	430	92.08%	79.54%	1.76%

Axsisves

01/16/2012 10:40 PM



Location Performance Summary Report By Lane

Submission Criteria

From Violation Date: 10/1/2010

To Violation Date: 10/31/2010

Violation Type: RDLT

	А	B (C+D+E)	С	D	E	F Violation	G (A-B-F)	H (G/(G+E))	I (B/A)	J (E/A)
<u>Location</u>	Violation Events	Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Events Still In Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE01 NB BLOOMFIELD AVE @ ARTESIA BLVD									-	•
Lane 1	25	25	25	0	0	0	0	0.00%	100.00%	0.00%
Lane 2	9	7	5	1	1	0	2	66.67%	77.78%	11.11%
Lane 3	149	122	75	35	12	0	27	69.23%	81.88%	8.05%
	183	154	105	36	13	0	29	69.05%	84.15%	7.10%
CE02 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 3	26	21	19	1	1	0	5	83.33%	80.77%	3.85%
Lane 4	16	12	12	0	0	0	4	100.00%	75.00%	0.00%
Lane 5	197	152	119	30	3	0	45	93.75%	77.16%	1.52%
	239	185	150	31	4	0	54	93.10%	77.41%	1.67%
CE03 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 1	11	10	6	1	3	0	1	25.00%	90.91%	27.27%
Lane 2	42	38	32	6	0	0	4	100.00%	90.48%	0.00%
	53	48	38	7	3	0	5	62.50%	90.57%	5.66%
CE04 EB SOUTH ST @ STUDEBAKER RD										
Lane 2	18	16	12	3	1	0	2	66.67%	88.89%	5.56%
Lane 3	29	24	15	9	0	0	5	100.00%	82.76%	0.00%
Lane 4	122	88	61	26	1	0	34	97.14%	72.13%	0.82%
	169	128	88	38	2	0	41	95.35%	75.74%	1.18%
CE05 WB SOUTH ST @ STUDEBAKER RD										
Lane 2	18	17	12	5	0	0	1	100.00%	94.44%	0.00%
Lane 3	50	48	42	5	1	0	2	66.67%	96.00%	2.00%
Lane 4	424	306	147	140	19	0	118	86.13%	72.17%	4.48%
	492	371	201	150	20	0	121	85.82%	75.41%	4.07%

Axsis vps

01/16/2012 10:44 PM



Location Performance Summary Report By Lane

Submission Criteria										
From Violation D	ate: 10/1/2010		To Violati	on Date: 10/3	1/2010	Violati	ion Type: F	RDLT		
	A	B (C+D+E)	С	D	E	F	G (A-B-F)	H (G/(G+E))	! (B/A)	J (E/A)
<u>.ocation</u>	Violation Events	Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Events Still In Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE06 EB SOUTH ST @ GRIDLEY RD										
Lane 3	15	12	9	2	1	0	3	75.00%	80.00%	6.67%
Lane 4	30	28	23	3	2	0	2	50.00%	93.33%	6.67%
Lane 5	297	263	216	45	2	0	34	94.44%	88.55%	0.67%
	342	303	248	50	5	0	39	88.64%	88.60%	1.46%
CE07 WB SOUTH ST @ GRIDLEY RD										
Lane 2	42	35	27	5	3	0	7	70.00%	83.33%	7.14%
Lane 3	49	40	20	17	3	0	9	75.00%	81.63%	6.12%
Lane 4	239	173	99	67	7	0	66	90.41%	72.38%	2.93%
	330	248	146	89	13	0	82	86.32%	75.15%	3.94%
Totals:	1,808	1,437	976	401	60	0	371	86.08%	79.48%	3.32%

Axsis vps

01/16/2012 10:44 PM



Location Performance Summary Report By Lane

		LUCALI	JII FEIIUI	mance 3	uninary r	report by	Lane			
Submission Criteria										
	From Violation Date:	1/1/2011		To Violatio	on Date: 1/31.	2011	Violati	on Type: F	RDLT	
			Б.				-			

	Α	B (C+D+E)	C	· D	E	F Violation	G (A-B-F)	H (G/(G+E))	I (В/А)	J (E/A)
Location	Violation	Violation Event	Non-	Non- Controllable	Controllable	Events Still In	Citations	Issuance Rate	Rejection	Controllable Rejection
·	Events	Rejections	Violations	Rejections	Rejections	Workflow	Issued	Rate	Percentage	Percentage
CE01 NB BLOOMFIELD AVE @ ARTESIA BLVD	0.4	0.4	20		_	•	•	0.0004	100 000/	4.470/
Lane 1	24	24	22	1	1 -	0	0	0.00%	100.00%	4.17%
Lane 2	14	12	5	2	5	0	2	28.57%	85.71%	35.71%
Lane 3	132	114	78	32	4	0	18	81.82%	86.36%	3.03%
	170	150	105	35	10	0	20	66.67%	88.24%	5.88%
CE02 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 3	19	18	17	1	0	0	1	100.00%	94.74%	0.00%
Lane 4	14	12	11	1	0	0	2	100.00%	85.71%	0.00%
Lane 5	154	136	98	31	7	0	18	72.00%	88.31%	4.55%
	187	166	126	33	7	0	21	75.00%	88.77%	3.74%
CE03 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 1	8	7	5	2	0	0	1	100.00%	87.50%	0.00%
Lane 2	26	25	19	3	3	0	1	25.00%	96.15%	11.54%
	34	32	24	5	3	0	2	40.00%	94.12%	8.82%
CE04 EB SOUTH ST @ STUDEBAKER RD									*****	******
Lane 2	15	12	12	0	0	0	3	100.00%	80.00%	0.00%
Lane 3	35	31	25	6	0	0	4	100.00%	88.57%	0.00%
Lane 4	96	75	50	21	4	0	21	84.00%	78.13%	4.17%
	146	118	87	27	4	0	28	87.50%	80.82%	2.74%
CE05 WB SOUTH ST @ STUDEBAKER RD					•	•	0	00370	00.02/0	2.1.470
Lane 2	25	25	23	2	0	О	0	0.00%	100.00%	0.00%
Lane 3	46	46	39	7	ō	ő	0	0.00%	100.00%	0.00%
Lane 4	328	255	147	, 101	7	0	73	91.25%	77.74%	2.13%
Lario	399	326	209	110	7	0	73	31.23%	11.14%	1.75%

Axsis VPS

01/16/2012 10:46 PM



Location Performance Summary Report By Lane

Submission Criteria		Local	JOH FEHOL	mance	buillilary r	серот ву	Lane				
	From Violation Date:	1/1/2011		To Violati	on Date: 1/31	/2011	Viola	tion Type: F	RDLT		
<u> </u>		A	В	С	D	E	F	G	Н	<u></u> -	J
			(C+D+E)					(A-B-F)	(G/(G+E))	(B/A)	(F/A)

	А	B (C+D+E)	С	D	E	F Violation	G (A-B-F)	H (G/(G+E))	i (B/A)	J (E/A)
	Violation	Violation Event	Non-	Non- Controllable	Controllable	Events	Citations		Balanda.	Controllable
Location	Events	Rejections	Violations	Rejections	Rejections	Still In Workflow	Issued	Issuance Rate	Rejection Percentage	Rejection Percentage
CE06 EB SOUTH ST @ GRIDLEY RD										
Lane 3	38	36	30	4	2	0	2	50.00%	94.74%	5.26%
Lane 4	42	37	31	5	1	0	5	83.33%	88.10%	2.38%
Lane 5	260	239	192	40	7	0	21	75.00%	91.92%	2.69%
	340	312	253	49	10	0	28	73.68%	91.76%	2.94%
CE07 WB SOUTH ST @ GRIDLEY RD										
Lane 2	40	38	27	8	3	0	2	40.00%	95.00%	7.50%
Lane 3	39	28	18	8	2	0	11	84.62%	71.79%	5.13%
Lane 4	205	171	106	59	6	0	34	85.00%	83.41%	2.93%
	284	237	151	75	11	0	47	81.03%	83.45%	3.87%
Totals:	1,560	1,341	955	334	52	0	219	80.81%	85.96%	3.33%

Axsisves

01/16/2012 10:46 PM



Location Performance Summary Report By Lane

Submission Criteria										
From Violation Da	ate: 4/1/2011		To Violati	on Date: 4/30	/2011	Violat	ion Type: F	RDLT		
	Α		С	D	E	F	G (A-B-F)	H (G/(G+E))	(B/A)	J (E/A)
<u>Location</u>	Violation Events	Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Events Still In Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE01 NB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 1	14	13	12	1	0	0	1	100.00%	92.86%	0.00%
Lane 2	13	6	6	0	0	0	7	100.00%	46.15%	0.00%
Lane 3	121	99	82	13	4	0	22	84.62%	81.82%	3.31%
	148	118	100	14	4	0	30	88.24%	79.73%	2.70%
CE02 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 3	12	8	7	1	0	0	4	100.00%	66.67%	0.00%
Lane 4	16	13	10	3	0	0	3	100.00%	81.25%	0.00%
Lane 5	146	116	103	11	2	0	30	93.75%	79.45%	1.37%
	174	137	120	15	2	0	37	94.87%	78.74%	1.15%
CE03 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 1	7	4	1	2	1	0	3	75.00%	57.14%	14.29%
Lane 2.	22	17	15	2	0	0	5	100.00%	77.27%	0.00%
	29	21	16	4	1	0	8	88.89%	72.41%	3.45%
CE04 EB SOUTH ST @ STUDEBAKER RD										
Lane 2	10	9	9	0	0	0	1	100.00%	90.00%	0.00%
Lane 3	11	5	2	2	1	0	6	85.71%	45.45%	9.09%
Lane 4	57	41	34	7	0	0	16	100.00%	71.93%	0.00%
	78	55	45	9	1	0	23	95.83%	70.51%	1.28%
CE05 WB SOUTH ST @ STUDEBAKER RD										
Lane 2	15	10	6	4	0	0	5	100.00%	66.67%	0.00%
Lane 3	28	25	21	2	2	0	3	60.00%	89.29%	7.14%
Lane 4	362	208	119	73	16	0	154	90.59%	57.46%	4.42%
	405	243	146	79	18	0	162	90.00%	60.00%	4.44%

Axsisves

01/16/2012 10:47 PM



Location Performance Summary Report By Lane

Submission Criteria

From Violation Date: 4/1/2011

To Violation Date: 4/30/2011

Violation Type: RDLT

	A	B (C+D+E)	С	D	E	F Violation	G (A-B-F)	H (G/(G+E))	l (B/A)	J (E/A)
<u>Location</u>	Violation Events	Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Events Still In Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE06 EB SOUTH ST @ GRIDLEY RD										
Lane 3	11	7	3	4	0	0	4	100.00%	63.64%	0.00%
Lane 4	22	17	14	3	0	0	5	100.00%	77.27%	0.00%
Lane 5	214	180	152	20	8	0	34	80.95%	84.11%	3.74%
	247	204	169	27	8	0	43	84.31%	82.59%	3.24%
CE07 WB SOUTH ST @ GRIDLEY RD										
Lane 2	19	15	12	2	1	0	4	80.00%	78.95%	5.26%
Lane 3	22	12	6	5	1	0	10	90.91%	54.55%	4.55%
Lane 4	158	103	71	24	8	0	55	87.30%	65.19%	5.06%
	199	130	89	31	10	0	69	87.34%	65.33%	5.03%
Totals:	1,280	908	685	179	44	0	372	89.42%	70.94%	3.44%

Axsisves

01/16/2012 10:47 PM



Submission Criteria										· · · · · · · · · · · · · · · · · · ·
From Violation Da	ate: 5/1/2011		To Violati	on Date: 5/31.	/2011	Violat	ion Type: F	RDLT		
	A	В	С	D	E	F	G	H (2)(2), 5)	l (Day)	J
_ocation	Violation Events	(C+D+E) Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Violation Events Still In Workflow	(A-B-F) Citations Issued	(G/(G+E)) Issuance Rate	(B/A) Rejection Percentage	(E/A) Controllable Rejection Percentage
CE01 NB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 1	15	14	13	0	1	0	1	50.00%	93.33%	6.67%
Lane 2	6	5	5	0	0	0	1	100.00%	83.33%	0.00%
Lane 3	106	88	69	17	2	0	18	90.00%	83.02%	1.89%
CE02 SB BLOOMFIELD AVE @ ARTESIA BLVD	127	107	87	17	3	0	20	86.96%	84.25%	2.36%
Lane 3	8	6	5	1	0	0	2	100.00%	75.00%	0.00%
Lane 4	13	7	5	2	0	0	6	100.00%	53.85%	0.00%
Lane 5	111	91	81	9	1	0	20	95.24%	81.98%	0.90%
	132	104	91	12	1	0	28	96.55%	78.79%	0.76%
CE03 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 1	3	0	0	0	0	0	3	100.00%	0.00%	0.00%
Lane 2	13	13	11	0	2	0	0	0.00%	100.00%	15.38%
	16	13	11	0	2	0	3	60.00%	81.25%	12.50%

25

21

111

157

23

25

319

367

20

13

74

107

18

19

175

212

17

9

54

80

13

14

101

128

2

3

18

23

5

5

70

80

1

1

2

0

0

0

0

0

0

0

0

0

Ó

5

8

37

50

5

6

144

155

Axsisves

CE04 EB SOUTH ST @ STUDEBAKER RD

CE05 WB SOUTH ST @ STUDEBAKER RD

Lane 2

Lane 3

Lane 4

Lane 2

Lane 3

Lane 4

01/16/2012 10:48 PM

83.33%

88.89%

94.87%

92.59%

100.00%

100.00%

97.30%

97.48%

80.00%

61.90%

66.67%

68.15%

78.26%

76.00%

54.86%

57.77%

Page 1 of 3

4.00%

4.76%

1.80%

2.55%

0.00%

0.00%

1.25%

1.09%



Location Performance Summary Report By Lane

Submission Criteria

From Violation Date: 5/1/2011

To Violation Date: 5/31/2011

Violation Type: RDLT

	A	B (C+D+E)	С	D	E	F Violation	G (A-B-F)	H (G/(G+E))	I (B/A)	J (E/A)
Location	Violation Events	Violation Event Rejections	Non- Violations	Non- Controlfable Rejections	Controllable Rejections	Events Still In Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE06 EB SOUTH ST @ GRIDLEY RD										
Lane 3	8	4	2	2	0	0	4	100.00%	50.00%	0.00%
Lane 4	10	6	4	1	1	0	4	80.00%	60.00%	10.00%
Lane 5	123	105	98	7	0	0	18	100.00%	85.37%	0.00%
	141	115	104	10	1	0	26	96.30%	81.56%	0.71%
CE07 WB SOUTH ST @ GRIDLEY RD										
Lane 2	19	15	7	5	3	0	4	57.14%	78.95%	15.79%
Lane 3	24	14	5	9	0	0	10	100.00%	58.33%	0.00%
Lane 4	139	87	55	30	2	0	52	96.30%	62.59%	1.44%
	182	116	67	44	5	0	66	92.96%	63.74%	2.75%
Totals:	1,122	774	568	186	20	0	348	94.57%	68.98%	1.78%

Axsis VPS

01/16/2012 10:48 PM



Location Performance Summary Report By Lane

, , , , , , , , , , , , , , , , , , , 	· · · · · · · · · · · · · · · · · · ·			
Submission Criteria				
	From Violation Date: 6/1/2011	To Violation Date: 6/30/2011	Violation Type: RDLT	
L			· · · · · · · · · · · · · · · · · · ·	

	Α	B (C+D+E)	С	D	E	F Violation	G (A-B-F)	H (G/(G+E))	I (B/A)	J (E/A)
<u>Location</u>	Violation Events	Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Events Still In Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE01 NB BLOOMFIELD AVE @ ARTESIA BLVD	-	-			-					
Lane 1	16	16	14	2	0	0	0	0.00%	100.00%	0.00%
Lane 2	6	4	4	0	0	0	2	100.00%	66.67%	0.00%
Lane 3	92	79	68	10	1	0	13	92.86%	85.87%	1.09%
	114	99	86	12	1	0	15	93.75%	86.84%	0.88%
CE02 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 3	16	12	12	0	0	0	4	100.00%	75.00%	0.00%
Lane 4	22	17	15	2	0	0	5	100.00%	77.27%	0.00%
Lane 5	126	98	77	19	2	0	28	93.33%	77.78%	1.59%
	164	127	104	21	2	0	37	94.87%	77.44%	1.22%
CE03 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 1	3	2	2	0	0	0	1	100.00%	66.67%	0.00%
Lane 2	6	4	4	0	0	0	2	100.00%	66.67%	0.00%
	9	6	6	0	0	0	3	100.00%	66.67%	0.00%
CE04 EB SOUTH ST @ STUDEBAKER RD										
Lane 2	9	7	5	1	1	0	2	66.67%	77.78%	11.11%
Lane 3	37	27	20	6	1	0	10	90.91%	72.97%	2.70%
Lane 4	128	78	50	28	0	0	50	100.00%	60.94%	0.00%
	174	112	75	35	2	0	62	96.88%	64.37%	1.15%
CE05 WB SOUTH ST @ STUDEBAKER RD										
Lane 2	16	13	8	4	1	0	3	75.00%	81.25%	6.25%
Lane 3	37	29	23	6	0	0	8	100.00%	78.38%	0.00%
Lane 4	309	170	102	64	4	0	139	97.20%	55.02%	1.29%
	362	212	133	74	5	0	150	96.77%	58.56%	1.38%

Axsisves

01/16/2012 10:49 PM



Location Performance Summary Report By Lane

						р					
Submission Crite	eria										
	From Violation Date:	6/1/2011		To Violatio	on Date: 6/30	/2011	Violati	on Type: RD	DLT		
		Α	В	С	D	E	F	G	Н	ī	J

	Α	B (C+D+E)	С	D	E	F Violation	G (A-B-F)	H (G/(G+E))	i (B/A)	J (E/A)
<u>Location</u>	Violation Events	Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Events Still In Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE06 EB SOUTH ST @ GRIDLEY RD										
Lane 3	12	6	5	1	0	0	6	100.00%	50.00%	0.00%
Lane 4	9	5	5	0	0	0	4	100.00%	55.56%	0.00%
Lane 5	118	97	78	17	2	0	21	91.30%	82.20%	1.69%
	139	108	88	18	2	0	31	93.94%	77.70%	1.44%
CE07 WB SOUTH ST @ GRIDLEY RD										
Lane 2	5	3	2	1	0	0	2	100.00%	60.00%	0.00%
Lane 3	30	12	7	5	0	0	18	100.00%	40.00%	0.00%
Lane 4	127	91	68	15	8	0	36	81.82%	71.65%	6.30%
	162	106	77	21	8	0	56	87.50%	65.43%	4.94%
Totals:	1,124	770	569	181	20	0	354	94.65%	68.51%	1.78%

Axsis VPS

01/16/2012 10:49 PM



Location Performance Summary Report By Lane

			,,,,,	imanec o	ummary i	teport by	Lanc			
Submission Criteria										
	From Violation Date:	7/1/2011		To Violatio	on Date: 7/31	/2011	Violati	on Type: AL	.L	
		Α	В	С	D	<u></u>	F	G	Н	 J

	А	B (C+D+E)	С	D	E	F Violation	G (A-B-F)	H (G/(G+E))	I (B/A)	J (E/A)
Location	Violation Events	Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Events Still In Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE01 NB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 1	8	8	7	1	0	0	0	0.00%	100.00%	0.00%
Lane 2	12	9	6	2	1	0	3	75.00%	75.00%	8.33%
Lane 3	111	89	74	14	1	0	22	95.65%	80.18%	0.90%
	131	106	87	17	2	0	25	92.59%	80.92%	1.53%
CE02 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 3	13	10	8	1	1	0	3	75.00%	76.92%	7.69%
Lane 4	11	9	8	1	0	0	2	100.00%	81.82%	0.00%
Lane 5	17 1	139	121	17	1	0	32	96.97%	81.29%	0.58%
	195	158	137	19	2	0	37	94.87%	81.03%	1.03%
CE03 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 1	8	7	5	2	0	0	1	100.00%	87.50%	0.00%
Lane 2	13	11	10	1	0	0	2	100.00%	84.62%	0.00%
	21	18	15	3	0	0	3	100.00%	85.71%	0.00%
CE04 EB SOUTH ST @ STUDEBAKER RD										
Lane 2	15	9	5	3	1	0	6	85.71%	60.00%	6.67%
Lane 3	22	12	10	2	0	0	10	100.00%	54.55%	0.00%
Lane 4	98	66	49	16	1	0	32	96.97%	67.35%	1.02%
	135	87	64	21	2	0	48	96,00%	64.44%	1.48%
CE05 WB SOUTH ST @ STUDEBAKER RD										
Lane 2	12	6	3	1	2	0	6	75.00%	50.00%	16.67%
Lane 3	22	15	13	2	0	0	7	100.00%	68.18%	0.00%
Lane 4	224	131	69	56	6	0	93	93.94%	58.48%	2.68%
	258	152	85	59	8	0	106	92.98%	58.91%	3.10%

AXSISVPS

01/17/2012 10:56AM



Location Performance Summary Report By Lane

Submission Criteria

From Violation Date: 7/1/2011

To Violation Date: 7/31/2011

Violation Type: ALL

	А	B (C+D+E)	С	D	E	F Violation	G (A-B-F)	H (G/(G+E))	I (B/A)) (E/A)
Location	Violation Events	Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Events Still In Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE06 EB SOUTH ST @ GRIDLEY RD										
Lane 3	4	3	2	1	0	0	1	100.00%	75.00%	0.00%
Lane 4	10	6	6	0	0	0	4	100.00%	60.00%	0.00%
Lane 5	116	94	82	12	0	0	22	100.00%	81.03%	0.00%
	130	103	90	13	0	0	27	100.00%	79.23%	0.00%
CE07 WB SOUTH ST @ GRIDLEY RD										
Lane 3	28	15	5	8	2	0	13	86.67%	53.57%	7.14%
Lane 4	153	93	72	19	2	0	60	96.77%	60.78%	1.31%
	181	108	77	27	4	0	73	94.81%	59.67%	2.21%
Totals:	1,051	732	555	159	18	0	319	94.66%	69.65%	1.71%

Axsisves

01/17/2012 10:56AM



Location Performance Summary Report By Lane

		Localic	MI FEIIC	Jilliance 3	ullilliai y i	report by	Laile			
Submission Criteria										
	From Violation Date:	8/1/2011		To Violatio	on Date: 8/31	/2011	Violati	ion Type: R	DLT	
									ш	

	Α	B (C+D+E)	С	D	Ε	F Violation	G (A-B-F)	H (G/(G+E))	I (B/A)	J (E/A)
<u>Location</u>	Violation Events	Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Events Still in Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE01 NB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 1	19	17	16	1	0	0	2	100.00%	89.47%	0.00%
Lane 2	9	6	6	0	0	0	3	100.00%	66.67%	0.00%
Lane 3	118	104	85	16	3	0	14	82.35%	88.14%	2.54%
	146	127	107	17	3	0	19	86.36%	86.99%	2.05%
CE02 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 3	20	18	12	4	2	0	2	50.00%	90.00%	10.00%
Lane 4	21	17	15	2	0	0	4	100.00%	80.95%	0.00%
Lane 5	165	137	106	23	8	0	28	77.78%	83.03%	4.85%
	206	172	133	29	10	0	34	77.27%	83.50%	4.85%
CE03 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 1	6	6	3	2	1	0	0	0.00%	100.00%	16.67%
Lane 2	15	14	10	4	0	0	1	100.00%	93.33%	0.00%
	21	20	13	6	1	0	1	50.00%	95.24%	4.76%
CE04 EB SOUTH ST @ STUDEBAKER RD										
Lane 2	20	15	8	7	0	0	5	100.00%	75.00%	0.00%
Lane 3	28	23	14	8	1	0	5	83.33%	82.14%	3.57%
Lane 4	121	89	66	17	6	0	32	84.21%	73.55%	4.96%
	169	127	88	32	7	0	42	85.71%	75.15%	4.14%
CE05 WB SOUTH ST @ STUDEBAKER RD										
Lane 2	21	17	13	3	1	0	4	80.00%	80.95%	4.76%
Lane 3	35	34	25	6	3	0	1	25.00%	97.14%	8.57%
Lane 4	371	279	143	105	31	0	92	74.80%	75.20%	8.36%
	427	330	181	114	35	0	97	73.48%	77.28%	8.20%

Axsisves

01/16/2012 10:54 PM



Location Performance Summary Report By Lane

		Localic	ni Perio	miance 5	unimary i	чероп Бу	Larse				
Submission Criteria											
	From Violation Date:	8/1/2011		To Violatio	on Date: 8/31	/2011	Violati	on Type: Ri	OLT		
		A	В	С	D	E	F	G	н	1	

	Α	B (C+D+E)	С	D	E	F Violation	G (A-B-F)	H (G/(G+E))	I (B/A)	J (E/A)
<u>Location</u>	Violation Events	Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Events Still In Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE06 EB SOUTH ST @ GRIDLEY RD										
Lane 3	5	5	3	2	0	0	0	0.00%	100.00%	0.00%
Lane 4	12	8	7	1	0	0	4	100.00%	66.67%	0.00%
Lane 5	164	131	112	16	3	0	33	91.67%	79.88%	1.83%
	181	144	122	19	3	0	37	92.50%	79.56%	1.66%
CE07 WB SOUTH ST @ GRIDLEY RD										
Lane 2	29	22	15	6	1	0	7	87.50%	75.86%	3.45%
Lane 3	57	42	18	20	4	0	15	78.95%	73.68%	7.02%
Lane 4	301	203	127	67	9	0	98	91.59%	67.44%	2.99%
	387	267	160	93	14	0	120	89.55%	68.99%	3.62%
Totals:	1,537	1,187	804	310	73	0	350	82.74%	77.23%	4.75%

Axsis VPS

01/16/2012 10:54 PM



Location Performance Summary Report By Lane

Submission Criteria

From Violation Date: 9/1/2011

To Violation Date: 9/30/2011

Violation Type: RDLT

	Α	B (C+D+E)	С	D	E	F Violation	G (A-B-F)	H (G/(G+E))	1 (B/A)	J (E/A)
<u>Location</u>	Violation Events	Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Events Still In Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE01 NB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 1	19	18	14	4	0	0	1	100.00%	94.74%	0.00%
Lane 2	16	16	12	2	2	0	0	0.00%	100.00%	12.50%
Lane 3	146	124	94	27	3	0	22	88.00%	84.93%	2.05%
	181	158	120	33	5	0	23	82.14%	87.29%	2.76%
CE02 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 3	20	19	14	3	2	0	1	33.33%	95.00%	10.00%
Lane 4	28	25	23	1	1	0	3	75.00%	89.29%	3.57%
Lane 5	118	102	84	14	4	0	16	80.00%	86.44%	3,39%
	166	146	121	18	7	0	20	74.07%	87.95%	4.22%
CE03 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 1	2	2	2	0	0	0	0	0.00%	100.00%	0.00%
Lane 2	19	17	15	1	1	0	2	66.67%	89.47%	5.26%
	21	19	17	1	1	0	2	66.67%	90.48%	4.76%
CE04 EB SOUTH ST @ STUDEBAKER RD										
Lane 2	15	11	7	3	1	0	4	80.00%	73.33%	6.67%
Lane 3	24	17	13	3	1	0	7	87.50%	70.83%	4.17%
Lane 4	133	111	86	22	3	0	22	88.00%	83.46%	2.26%
	172	139	106	28	5	0	33	86.84%	80.81%	2.91%
CE05 WB SOUTH ST @ STUDEBAKER RD										
Lane 2	19	17	10	5	2	0	2	50.00%	89.47%	10.53%
Lane 3	32	30	26	3	1	0	2	66.67%	93.75%	3.13%
Lane 4	689	617	532	74	11	0	72	86.75%	89.55%	1.60%
	740	664	568	82	14	0	76	84.44%	89.73%	1.89%

Axsis ves

01/16/2012 10:54 PM



Location Performance Summary Report By Lane

Submission Criteria

From Violation Date: 9/1/2011

To Violation Date: 9/30/2011

Violation Type: RDLT

	А	B (C+D+E)	С	D	E	F Violation	G (A-B-F)	H (G/(G+E))	I (B/A)	J (E/A)
Location	Violation Events	Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Events Still In Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE06 EB SOUTH ST @ GRIDLEY RD									·-·	
Lane 3	13	11	3	2	6	0	2	25.00%	84.62%	46.15%
Lane 4	8	8	7	0	1	0	0	0.00%	100.00%	12.50%
Lane 5	113	104	86	11	7	0	9	56.25%	92.04%	6.19%
	134	123	96	13	14	0	11	44.00%	91.79%	10.45%
CE07 WB SOUTH ST @ GRIDLEY RD										
Lane 2	42	37	21	14	2	0	5	71.43%	88.10%	4.76%
Lane 3	56	46	34	11	1	0	10	90.91%	82.14%	1.79%
Lane 4	267	214	126	83	5	0	53	91.38%	80.15%	1.87%
	365	297	181	108	8	0	68	89.47%	81.37%	2.19%
Totals:	1,779	1,546	1,209	283	54	0	233	81.18%	86.90%	3.04%

Axsisves

01/16/2012 10:54 PM



Location Performance Summary Report By Lane

Submission Criteria

From Violation Date: 10/1/2011

To Violation Date: 10/31/2011

Violation Type: RDLT

Α В С D E F G (C+D+E) (G/(G+E)) (E/A) (A-B-F) (B/A) Violation Violation Non-Events Controllable Violation Non-Controllable Citations Event Rejection Controllable Still In Issuance Rejection **Location** Violations Rejections Rejections Rejections Workflov Issued Rate Percentage Percentage CE01 NB BLOOMFIELD AVE @ ARTESIA BLVD Lane 1 25 23 21 0 66.67% 92.00% 4.00% 2 Lane 2 17 15 10 4 0 2 1 66.67% 88.24% 5.88% Lane 3 175 145 115 29 0 30 96.77% 82.86% 0.57% 217 183 146 34 34 91.89% 84.33% 1.38% CE02 SB BLOOMFIELD AVE @ ARTESIA BLVD 17 Lane 3 2 14 12 0 0 3 100.00% 82.35% 0.00% Lane 4 14 9 6 2 1 0 5 83.33% 64.29% 7.14% 117 101 78 18 0 16 76.19% 86.32% 4.27% 148 124 22 96 6 0 24 80.00% 83.78% 4.05% CE03 SB BLOOMFIELD AVE @ ARTESIA BLVD Lane 1 5 3 1 2 0 0 2 100.00% 60.00% 0.00% Lane 2 28 25 15 8 2 0 3 60.00% 89.29% 7.14% 33 28 16 10 2 71.43% 84.85% 6.06% CE04 EB SOUTH ST @ STUDEBAKER RD Lane 2 30 26 21 4 1 0 4 80.00% 86.67% 3.33% Lane 3 35 23 19 2 2 0 12 85.71% 65.71% 5.71% Lane 4 146 106 83 18 5 0 40 88.89% 72.60% 3.42% 211 155 123 24 8 0 56 87.50% 73.46% 3.79% CE05 WB SOUTH ST @ STUDEBAKER RD Lane 2 25 21 15 6 0 0 4 100.00% 84.00% 0.00% Lane 3 55 46 42 4 0 0 9 100.00% 83.64% 0.00% Lane 4 541 404 287 103 0 14 137 90.73% 74.68% 2.59% 621 471 344 113 14 0 150 91.46% 75.85% 2.25%

Axsis VPS

01/16/2012 10:56 PM



Location Performance Summary Report By Lane

Submission Criteria					difficulty i	cport by	Lanc				
	From Violation Date: 16	0/1/2011		To Violatio	on Date: 10/3	1/2011	Violati	on Type: RI	DLT		
		Α	В	С	D	E	F	G	Н	1	
			(O - D - E)								

	Α	B (C+D+E)	С	D	E	F	G (A-B-F)	H (G/(G+E))	l (B/A)	J (E/A)
<u>Location</u>	Violation Events	Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Violation Events Still In Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE06 EB SOUTH ST @ GRIDLEY RD									<u>_</u> _	
Lane 3	17	15	13	2	0	0	2	100.00%	88.24%	0.00%
Lane 4	11	9	7	1	1	0	2	66.67%	81.82%	9.09%
Lane 5	177	161	135	22	4	0	16	80.00%	90.96%	2.26%
	205	185	155	25	5	0	20	80.00%	90.24%	2.44%
CE07 WB SOUTH ST @ GRIDLEY RD										
Lane 2	36	30	21	6	3	0	6	66.67%	83.33%	8.33%
Lane 3	37	26	16	10	0	0	11	100.00%	70.27%	0.00%
Lane 4	225	182	124	51	7	0	43	86.00%	80.89%	3.11%
	298	238	161	67	10	0	60	85.71%	79.87%	3.36%
Totals:	1,733	1,384	1,041	295	48	0	349	87.91%	79.86%	2.77%

Axsis VPS

01/16/2012 10:56 PM



Location Performance Summary Report By Lane

Submission Criteria

From Violation Date: 11/1/2011

To Violation Date: 11/30/2011

Violation Type: RDLT

	Α	B (C+D+E)	С	D	E	F Violation	G (A-B-F)	H (G/(G+E))	I (B/A)	J (E/A)
<u>Location</u>	Violation Events	Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Events Still In Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE01 NB BLOOMFIELD AVE @ ARTESIA BLVD		-								
Lane 1	14	14	14	0	0	0	0	0.00%	100.00%	0.00%
Lane 2	20	17	14	2	1	0	3	75.00%	85.00%	5.00%
Lane 3	142	114	86	24	4	1	27	87.10%	80.28%	2.82%
	176	145	114	26	5	1	30	85.71%	82.39%	2.84%
CE02 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 3	13	12	7	5	0	0	1	100.00%	92.31%	0.00%
Lane 4	9	8	6	2	0	0	1	100.00%	88.89%	0.00%
Lane 5	121	108	90	15	3	0	13	81.25%	89.26%	2.48%
	143	128	103	22	3	0	15	83.33%	89.51%	2.10%
CE03 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 1	6	4	4	0	0	0	2	100.00%	66.67%	0.00%
Lane 2	17	15	12	3	0	0	2	100.00%	88.24%	0.00%
	23	19	16	3	0	0	4	100.00%	82.61%	0.00%
CE04 EB SOUTH ST @ STUDEBAKER RD										
Lane 2	23	16	14	2	0	0	7	100.00%	69.57%	0.00%
Lane 3	3	3	3	0	0	0	0	0.00%	100.00%	0.00%
Lane 4	154	121	88	29	4	0	33	89.19%	78.57%	2.60%
	180	140	105	31	4	0	40	90.91%	77.78%	2.22%
CE05 WB SOUTH ST @ STUDEBAKER RD										
Lane 2	23	21	17	3	1	0	2	66.67%	91.30%	4.35%
Lane 3	43	36	30	5	1	0	7	87.50%	83.72%	2.33%
Lane 4	490	356	210	133	13	0	134	91.16%	72.65%	2.65%
	556	413	257	141	15	0	143	90,51%	74.28%	2.70%

Axsisves

01/16/2012 10:56 PM



Location Performance Summary Report By Lane

	n Criteria

From Violation Date: 11/1/2011

To Violation Date: 11/30/2011

Violation Type: RDLT

	А	B (C+D+E)	С	D	E	F Violation	G (A-B-F)	H (G/(G+E))	I (B/A)	J (E/A)
Location	Violation Events	Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Events Still In Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE06 EB SOUTH ST @ GRIDLEY RD										
Lane 3	10	5	2	3	0	0	5	100.00%	50.00%	0.00%
Lane 4	16	9	6	3	0	0	7	100.00%	56.25%	0.00%
Lane 5	176	159	121	35	3	1	16	84.21%	90.34%	1.70%
	202	173	129	41	3	1	28	90.32%	85.64%	1.49%
CE07 WB SOUTH ST @ GRIDLEY RD										
Lane 2	33	31	13	15	3	0	2	40.00%	93.94%	9.09%
Lane 3	61	51	20	27	4	0	10	71.43%	83.61%	6.56%
Lane 4	238	182	136	44	2	2	54	96.43%	76.47%	0.84%
	332	264	169	86	9	2	66	88.00%	79.52%	2.71%
Totals:	1,612	1,282	893	350	39	4	326	89,32%	79.53%	2.42%

Axsisves

01/16/2012 10:56 PM



Location Performance Summary Report By Lane

Submission Criteria

From Violation Date: 12/1/2011

To Violation Date: 12/31/2011

Violation Type: RDLT

	Α	B (C+D+E)	С	D	E	F Violation	G (A-B-F)	H (G/(G+E))	l (B/A)	J (E/A)
<u>Location</u>	Violation Events	Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Events Still In Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE01 NB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 1	20	18	15	3	0	0	2	100.00%	90.00%	0.00%
Lane 2	15	13	10	2	1	0	2	66,67%	86.67%	6.67%
Lane 3	131	108	78	22	8	0	23	74.19%	82.44%	6.11%
	166	139	103	27	9	0	27	75.00%	83.73%	5.42%
CE02 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 3	17	12	10	2	0	0	5	100.00%	70.59%	0.00%
Lane 4	51	51	48	2	1	0	0	0.00%	100.00%	1.96%
Lane 5	130	105	79	20	6	0	25	80.65%	80.77%	4.62%
	198	168	137	24	7	0	30	81.08%	84.85%	3.54%
CE03 SB BLOOMFIELD AVE @ ARTESIA BLVD										
Lane 1	8	5	4	1	0	0	3	100.00%	62.50%	0.00%
Lane 2	26	20	17	2	1	0	6	85.71%	76.92%	3.85%
	34	25	21	3	1	0	9	90.00%	73.53%	2.94%
CE04 EB SOUTH ST @ STUDEBAKER RD										
Lane 2	18	15	13	2	0	0	3	100.00%	83.33%	0.00%
Lane 4	111	90	61	26	3	0	21	87.50%	81.08%	2.70%
	129	105	74	28	3	0	24	88.89%	81.40%	2.33%
CE05 WB SOUTH ST @ STUDEBAKER RD										
Lane 2	18	13	8	5	0	0	5	100.00%	72.22%	0.00%
Lane 3	40	33	28	4	1	0	7	87.50%	82.50%	2.50%
Lane 4	637	400	261	115	24	0	237	90.80%	62.79%	3.77%
	695	446	297	124	25	0	249	90.88%	64.17%	3.60%
CE06 EB SOUTH ST @ GRIDLEY RD										
Lane 3	30	18	13	5	0	0	12	100.00%	60.00%	0.00%
Lane 4	35	22	15	4	3	0	13	81.25%	62.86%	8.57%
Lane 5	488	402	320	63	19	0	86	81.90%	82.38%	3.89%
	553	442	348	72	22	0	111	83.46%	79.93%	3.98%

Axsis VPS

01/16/2012 10:59 PM



Location Performance Summary Report By Lane

Submission Criteria											
	From Violation Date:	12/1/2011		To Violation Date: 12/31/2011			Violation Type: RDLT				
		А	B (C+D+E)	С	D	E	F Violation	G (A-B-F)	H (G/(G+E))	l (B/A)	J (E/A)
_ocation		Violation Events	Violation Event Rejections	Non- Violations	Non- Controllable Rejections	Controllable Rejections	Events Still In Workflow	Citations Issued	Issuance Rate	Rejection Percentage	Controllable Rejection Percentage
CE07 WB SOUTH ST @ GRI	DLEY RD										
Lane 2		45	40	24	16	0	0	5	100.00%	88.89%	0.00%
Lane 3		45	29	20	7	2	1	15	88.24%	64.44%	4.44%
Lane 4		222	161	105	47	9	1	60	86.96%	72.52%	4.05%
		312	230	149	70	11	2	80	87.91%	73.72%	3.53%
	Totals:	2,087	1,555	1,129	348	78	2	530	87.17%	74.51%	3.74%

Axsisves

01/16/2012 10:59 PM