#### 01-May-2013 to 20-May-2013 **Customer Management Report (Napa) Redlight Incidents** Operator Id: %

Generated By: JKOSTELAC

Generated On: 5/22/2013 9:03:36 AM

01-May-2013 to 20-May-2013

Operator Id: %

Total Notices Printed	
79 79 84	
23-92%	10-2121-AQV
21-100%	10-ЯТЯ8-АЧИ
66-97%	NPA-JEFI-01
131-98%	fo-MIO2-A9V
241-97%	JATOT

Generated By: JKOSTELAC
Generated On: 5/22/2013 9:03:36 AM

01-Apr-2013 to 30-Apr-2013 **Customer Management Report (Napa) Redlight Incidents** Operator Id: %

		Mairunction	Camera	Less Rejects	Available F	Less in Progress	Sub Total Violations	Total	Registration Issues		e	Policy/Weath					Rejects	Police				Obstruction	Less Unco	Total Proc	
7) H111	Misc Camera Issue	Face Not in Frame	Face Camera Focus Blurry	cts	Available For Prosecution	ress	Violations		Paper Plates	Weather/Nature	Sun Glare	Extended Vehicle	Police Discretion	PD-Criteria	On or Passed the Stop Bar (PD),	Non Violation -Vehicle Behind	Emergency Vehicle Responding	Driver ID - Poor Driver Image -	Vehicle Obstruction	Plate Obstruction	Motor Cycle Helmet	Driver Obstruction/Duckers	ess Uncontrollable Factors	Total Processed Incidents	
	0-00%	3-08%	0-00%		40	0	40	1	0	-	0	4	_	0	0	0		-	0	_		-4		51	10-2121-A9N
	0-00%	0-00%	1-03%		39	0	39	15	2	0	ω	ω	-	0	0	0	_	0		ω	0	-3		54	10-ЯТЯВ-АЧИ
	0-00%	0-00%	0-00%		105	0	105	20		0	0	0	9	0	0	0	ហ	0	_	0	0	4		125	NPA-JEFI-01
	1-00%	4-02%	0-00%		245	0	245	63	0	0	14	10	4	_	_		_	0	9	2	0	14		308	10-MIOS-A9U
	1-00%	7-02%	1-00%		429	0	429	109	9	-	17	17	15	-			œ		11	6		20		538	JATOT
														U.A.											

Generated By: JKOSTELAC
Generated On: 5/22/2013 9:02:38 AM

01-Apr-2013 to 30-Apr-2013 Operator Id: %

	4-10%	0-00%	0-00%	0-00%	1-02%	0-00%	10-2121-Aql
36-92% 36-92%	3-08%	1-03%	1-03%	0-00%	0-00%	0-00%	ro-ятяв-Ач
104-99%	1-01%	0-00%	0-00%	1-01%	0-00%	0-00%	ro-IFEL-A9
232-95%	13-05%	7-03%	0-00%	0-00%	0-00%	1-00%	ro-Mios-Aqi
408-95%	21-05%	8-02%	1-00%	1-00%	1-00%	1-00%	JATO:

Generated By: JKOSTELAC

Generated On: 5/22/2013 9:02:38 AM

01-Mar-2013 to 31-Mar-2013 Operator Id: %

Generated By:	Approved Violations	Total	Process Issues	Mairunction	Camera	Less Rejects	Available F	Less in Progress	Sub Total Violations	Total	Issues	Registration		<u>e</u>	Policy/Weath			Rejects	Police			Obstruction	Less Unco	Total Proce	
By: JKOSTELAC	Violations		Too Old	Plate Not in Frame	Face Not in Frame	ets	Available For Prosecution	ress	Violations		Paper Plates	Can Not Identify State	Weather/Nature	Sun Glare	Extended Vehicle	Police Discretion	On or Passed the Stop Bar (PD).	Gender Mismatch	Emergency Vehicle Responding	Vehicle Obstruction	Plate Obstruction	Driver Obstruction/Duckers	Less Uncontrollable Factors	Total Processed Incidents	
	32-89%	4-11%	2-06%	1-03%	1-03%		36	0	36	11	0	0	0	0	O1	0	_	0	_	0	2	2		47	10-2121-AqV
	26-100%	0-00%	0-00%	0-00%	0-00%		26	0	26	21	0	0	0	ψ.	9	-	0	0	5	0	0	1		47	10-ЯТЯВ-АЧИ
	121-98%	3-02%	3-02%	0-00%	0-00%		124	0	124	19	2	0	_	ω	_	5	0	0	ω	0	2	2		143	NP-JEFL-01
	191-96%	7-04%	3-02%	2-01%	2-01%		198	0	198	59	4	-44	_	11	7	4	0	4	-	6	00	15		257	10-MIOS-AQU
	370-96%	14-04%	8-02%	3-01%	3-01%		384		384		6		2	19	22	10	_		10	6	12	20		494	JATOT
											9.9														

Generated By: JKOSTELAC
Generated On: 5/22/2013 9:01:29 AM

01-Mar-2013 to 31-Mar-2013

Operator Id: %

Total Notices Printed	
32-89%	10-S1S1-A9N
26-100% 121-98% 191-96%	10-ятяв-Ачи
121-98%	NPA-JEF1-01
191-96%	10-MIOS-A9V
370-96%	JATOT
	N N

Generated By: JKOSTELAC

Generated On: 5/22/2013 9:01:29 AM

01-Feb-2013 to 28-Feb-2013 **Customer Management Report (Napa) Redlight Incidents** Operator Id: %

Generated	Approved	Total	Process	Mairunction	Camera	Less Rejects	Available	Less in Progress	Sub Total	Total	Issues	Registration		9	Policy/Weath			Rejects	Police			Obstruction	Less Unco	Total Proc	
Generated By: JKOSTELAC	Approved Violations		Too Old	Plate Not in Frame	Face Not in Frame	cts	Available For Prosecution	ress	Total Violations		Paper Plates	Out of Country Plate	Weather/Nature	Sun Glare	h Extended Vehicle	Police Discretion	PD-Criteria	Emergency Vehicle Responding	Driver ID - Poor Driver Image -	Signal Obstruction	Plate Obstruction	Driver Obstruction/Duckers	Less Uncontrollable Factors	Total Processed Incidents	
	32-97%	1-03%	1-03%	0-00%	0-00%		33	0	33	13	_	_	-4	_	_	_	0	2	0	0	2	3		46	10-2121-AqV
	31-97%	1-03%	1-03%	0-00%	0-00%		32	0	32	13	_	0	0	_	-	2	0	6	0	0	2	0		45	10-ATA8-A9V
	86-100%	0-00%	0-00%	0-00%	0-00%		86	0	86	23	ω	0	0	_	_	13	0	ω	0	0	_	_		109	10-IABL-A9N
	190-98%	4-02%	2-01%	1-01%	1-01%		194	0	194	51	သ		0	10	œ	7	-	0	2	-	7	11		245	ro-mios-agn
	339-98%	6-02%	4-01%	1-00%	1-00%		345	0	345	100		2	1	13	11	23		1	2	-	12	15		445	JATOT

Generated By: JKOSTELAC
Generated On: 5/22/2013 9:00:26 AM

01-Feb-2013 to 28-Feb-2013 Opera

Operator Id: %

10-S1S1-A9N
го-ятяа-Ачи
ro-I∃∃L-Aqu
10-MIOS-A9N
JATOT

Generated By: JKOSTELAC

Generated On: 5/22/2013 9:00:26 AM

01-Jan-2013 to 31-Jan-2013 Customer Management Report (Napa) Redlight Incidents 01-Jan-2013 to 31-Jan-2013 Operator Id: %

Total	Process Issues		Malfunction	Camera	Less Rejects	Available	Less in Progress	Sub Total	Total	Registration Issues	ថ្ម	Policy/Weath				Rejects	Police			Obstruction	Less Unco	Total Proc	
	Too Old	Plate Burn Out	Face Not in Frame	Databar Unreadable/Incorrect	ects	Available For Prosecution	gress	Sub Total Violations		Paper Plates	Sun Glare	h Extended Vehicle	Police Discretion	Plate Unidentifiable	PD-Criteria	On or Passed the Stop Bar (PD).	Emergency Vehicle Responding	Vehicle Obstruction	Plate Obstruction	Driver Obstruction/Duckers	Less Uncontrollable Factors	Total Processed Incidents	
3-09%	0-00%	0-00%	2-06%	1-03%		32	0	32	13	_	0	ω	0	0	0	0	0	0		8		45	10-2121-AQN
1-03%	0-00%	1-03%	0-00%	0-00%		33	0	33	6	0	ယ	0		0	0	0	-4	0	1	0		39	↑0-ЯТЯ <u>8-</u> АЯИ
1-01%	0-00%	1-01%	0-00%	0-00%		68	0	68	19	2	_	_	7	0	_	0		_	з	2		87	NPA-JEFI-01
7-04%	2-01%	0-00%	5-03%	0-00%		181	0	181	35	O1	2	6	2	_	0	-	-	8	2	7		216	ro-MIO2-A9N
12-04%	2-01%	2-01%	7-02%	1-00%		314	0	314	73	co	6	10	10	-	-	ank.	ω	9	7	17		387	JATOT

Generated By: JKOSTELAC

Generated On: 5/22/2013 8:58:41 AM

01-Jan-2013 to 31-Jan-2013 Operator Id: %

Total Notices Printed	Approved Violations	
rinted	ations	
	The state of	
12	28	-
29-91%	29-91%	10-2121-A9V
HUI	32-97%	10-ЯТЯ8-АЧИ
67-99%	67-99% 174-96%	NPA-JEFI-01
	0000	10-MIOS-A9N
302-96%	302-96%	JATOT
	E.	

Generated By: JKOSTELAC

Generated On: 5/22/2013 8:58:41 AM

01-Dec-2012 to 31-Dec-2012 **Customer Management Report (Napa) Redlight Incidents** Operator Id: %

Total	Process	Police	Maltunction	Camera	Less Rejects	Available F	Less in Progress	Sub Total Violations	Total	Registration Issues		еr	Policy/Weath		Rejects	Police				Obstruction	Less Unco	Total Proce	
T.	Too Old	Driver Unidentifiable images poor	Rear Plate Flash Inappropriate	Face Not in Frame	ots	Available For Prosecution	ress	Violations		Paper Plates	Weather/Nature	Sun Glare	Extended Vehicle	Police Discretion	Emergency Vehicle Responding	Driver ID - Poor Driver Image -	Vehicle Obstruction	Plate Obstruction	Motor Cycle Helmet	Driver Obstruction/Duckers	Less Uncontrollable Factors	Total Processed Incidents	
4-14%	0-00%	0-00%	0-00%	4-14%		28	0	28	6	0		0		1	2	0	0	0	0			34	10-2121-AqV
1-04%	1-04%	0-00%	0-00%	0-00%		26	0	26	16	0	2	0		7	ω	_	4	-	0	0		42	10-ЯТЯВ-АЧИ
0-00%	0-00%	0-00%	0-00%	0-00%		84	0	84	20	0	0	0	4	10	2	0	3	0	0			104	10-ITEL-AQU
5-02%	1-00%	1-00%	1-00%	2-01%		218	0	218	42	6	_	2	7	3	-	2	8	ß	.3	œ		260	10-MIO2-A9U
10-03%	2-01%	1-00%	1-00%	6-02%		356	0	356	84	ō	4	2	13	21	8	ω	12	4		10		440	JATOT

Generated By: JKOSTELAC

Generated On: 5/22/2013 8:57:00 AM

01-Dec-2012 to 31-Dec-2012

Operator Id: %

	Approve	Total No
	ved Violations	Notices Printed
	22	63
10-2121-A9V	24-86%	24-86%
10-ЯТЯВ-АЧИ	25-96%	25-96%
10-ITEL-ATM	84-100%	84-100%
10-MIOS-AQN		84-100% 213-98%
JATOT	346-97%	346-97%

Generated By: JKOSTELAC

Generated On: 5/22/2013 8:57:00 AM

01-Nov-2012 to 30-Nov-2012 **Customer Management Report (Napa) Redlight Incidents** Operator Id: %

Police Rejects		Maltunction	Camera	Less Rejects	Available F	Less in Progress	Sub Total Violations	Total	Registration Issues	<u>a</u>	Policy/Weath				Rejects	Police				Obstruction	Less Unco	Total Proce	
Driver Unidentifiable images poor	Rear Plate Camera Blurry	Plate Burn Out	Face Not in Frame	cts	Available For Prosecution	ress	Violations	1	Paper Plates	Sun Glare	Extended Vehicle	Police Discretion	On or Passed the Stop Bar (PD).	Emergency Vehicle Responding	Driver ID - Poor Driver Image -	Driver ID - Poor Driver Image -	Vehicle Obstruction	Plate Obstruction	Motor Cycle Helmet	Driver Obstruction/Duckers	Less Uncontrollable Factors	Total Processed Incidents	
0-00%	0-00%	0-00%	0-00%		43	0	43	17	2	0	5	_	0	2	0	0	0	2	_	4		60	10-2121-APN
1-03%	1-03%	0-00%	0-00%		31	0	31	12	2	4	0	4	0	ω	0	0	-	0	0	_		43	10-ЯТЯ8-АЧИ
0-00%	1-01%	1-01%	0-00%		87	0	87	13	_	0		7	0	_	_	0	0	_	0	_		100	NPA-JEFI-01
0-00%	1-00%	0-00%	6-03%		210	0	210	57	3	7	4	6	2	2	0		9	1	2	10		267	10-MIO2-A9N
1-00%	3-01%	1-00%	6-02%		371	0	371	99	œ	8	10	18	2	00	_	-4	10	14	ω	16		470	JATOT

Generated By: JKOSTELAC

Generated On: 5/22/2013 8:55:39 AM

01-Nov-2012 to 30-Nov-2012

Operator Id: %

Total Notices Printed 43-100% 29-94% 85-98%	Approved Violations 43-100% 29-94% 85-98%	0-00% 2-06%	0-00%	10-81788-A9V 10-81788-A9V 10-2121-A9V
6 202-96%	6 202-96%	6 8-04%	0-00% 1-00%	10-MIOS-A9V
359-97%	359-97%	12-03%	1-00%	JATOT

Generated By: JKOSTELAC
Generated On: 5/22/2013 8:55:39 AM

01-Oct-2012 to 31-Oct-2012 **Customer Management Report (Napa) Redlight Incidents** Operator Id: %

0-00%	0-00%	1-02%	Incal Flate Califera blairy
			Dear Diate Camera Blurny
0-00%	0-00%	1-02%	Plate Not in Frame
1-01%	0-00%	0-00%	Plate Burn Out
2-02%	0-00%	0-00%	Misc Camera Issue
0-00%	0-00%	2-04%	Camera Face Not in Frame
			Less Rejects
84	36	47	Available For Prosecution
0	0	0	Less in Progress
84	36	47	Sub Total Violations
18	10	17	Total
2	_	2	Issues Paper Plates
0	0	0	Registration Can Not Identify State
	0	0	Sun Glare
_	2	4	Policy/Weath Extended Vehicle
7	0	0	Police Discretion
0	0	0	Plate Unidentifiable
0	0	0	Non Violation -Vehicle Behind
4	ယ	_	Rejects Emergency Vehicle Responding
0	_	0	Police Driver ID - Poor Driver Image -
_	ے	2	Vehicle Obstruction
2	0	4	Plate Obstruction
. 0	0	0	Motor Cycle Helmet
0	2	4	Obstruction Driver Obstruction/Duckers
			Less Uncontrollable Factors
102	46	64	Total Processed Incidents
NPA-JEFI-01	10-ЯТЯВ-АЧИ	10-S1S1-A9V	
	84 0 1 2 0 0 1 1 7 7 0 0 4 0 1 2 0 0 102 LO-HARL-VAIN		36 0 0 0 3 1 1 0 0 2 10-ытяв-Ачи 36 0 10 10 10 10 10 10 10 10 10 10 10 10 1

Generated On: 5/22/2013 8:54:13 AM

01-Oct-2012 to 31-Oct-2012

Operator Id: %

		Police Rejects	Total	Approvec	Total Not
	Rear Plate Flash Inappropriate	Driver Unidentifiable images poor		Approved Violations	Total Notices Printed
10-2121-Aq <i>N</i>	0-00%	0-00%	4-09%	43-91%	43-91%
ro-ятяа-Ачи	0-00%	1-03%	1-03%	35-97%	35-97%
ro-IEEL-AAN	0-00%	0-00%	3-04%	81-96%	81-96%
10-MIOS-A9V	1-00%	0-00%	5-02%	275-98%	275-98%
JATOT	1-00%	1-00%	13-03%	434-97%	434-97%
				4	

Generated By: JKOSTELAC

Generated On: 5/22/2013 8:54:13 AM